JVC

VICTOR COMPANY OF JAPAN, LIMITED

HR-D257MS

VIDEO (LUMINANCE)SCHEMATIC DIAGRAM HR-D257MS



HR-D257MS

circuit –



HR-D257MS



A-3

HR-D257

are critical for with specified



NOTE: Shaded ( ) parts are critical for safety. Replace only with specified part numbers.

– AUDIO –



– NTSC –



DRUM MDA SCHEMATIC DIAGRAM & CIRCUIT BOARD



NOTE: Shaded ( ) parts are critical for safety. Replace only with specified part numbers.



TUNER/IF SCHEMATIC DIAGRAM HR-D257MS



NOTE: Shaded ( ) parts are critical for safety. Replace only with specified part numbers.

TERMINAL SCHEMATIC DIAGRAM & CIRCUIT BOARD





REMOTE CONTROL SCHEMATIC DIAGRAM

HR-D257MS



4.22 RF CONVERTER & RF SWITCH SCHEMATIC DIAGRAM



NOTES:
ALL RESISTANCE VALUES IN OHM
ALL CAPACITANCE VALUES IN F

IC1 LA7051 or Equivalent
IC2 BA7004 or Equivalent
X1 CSB500E3 or Equivalent

Q1 2SC2759, 2SC2754, 2SC2734 or Equivalent
Q101~103 2SC2570A, 2SC3355 or Equivalent
D1 HZS7.5EB3, XZ074 or Equivalent
D2~3 1SS99, 1SS174 or Equivalent
D101 1S2076, 1S2473 or Equivalent

NOTE: Shaded ( ) parts are critical for safety. Replace only with specified part numbers.

POWER SUPPLY SCHEMATIC DIAGRAM

HR-D257MS



NOTE: Shaded ( ) parts are critical for safety. Replace only with specified part numbers.

4.8 MECHACON SCHEMATIC DIAGRAM

HR-D257MS



NOTE: Shaded ( ) parts are critical for safety. Replace only with specified part numbers.

TIMER, DISPLAY AND POWER SWITCH SCHEMATIC DIAGRAMS HR-D257MS



–Waveforms of VIDEO (Luminance) circuit–



–Waveforms of VIDEO (Colour) circuit–